



COMPUTATIONAL CHEMISTRY DAY 2023

Giovana PASCHOAL

Didier BÉGUÉ

Roger HIORNS

William LAFARGUE-DIT-HAURET

Molecular design and computational investigation of optoelectronic properties of conjugated polymers for OPV cells

PAU BÉARN PYRÉNEES
Communauté d'Agglomération



UIVERSITÉ
DE PAU ET DES
PAYS DE L'ADOUR


IPREM
Institut des sciences analytiques
et de physico-chimie
pour l'environnement et les matériaux

cnrs

e2s
UPPA
energy environment solutions

Materials for OPV cells

Renewable energies



Photovoltaic technologies

Organic devices





Sources (most available)

Materials (pollution/cost)

Lighter weight

Mechanical flexibility

Recyclable




Mater. Chem. Front., 2020, **4**, 3487-3504

Light absorption \leftrightarrow material


$$E_g$$

Gap concepts


Mater. Horiz., 2014, 1, 17–19



Model molecules
+
Estimate properties




New
materials




Polymer
structure

Molecular design of conjugated polymers


Conjugation length



Nature of blocks




Side chains




E_g^{OPT} [eV]
B3LYP / 6-311G(d)

1.36




PCPDTBT $R_1 = 2\text{-ethylhexyl}$




PCPDTBT-H

1.39



PDTPn-BT $R_2 = n\text{-octyl}$



PDTPn-BT-H

2.05

2.07

This work


Conjugation length

Nature of blocks


Side chains

Double chains


Core 1



Core 2



Core 3



E_g^{HL}

S_0 : HOMO-LUMO

DFT

E_g^{OPT}

$E_{S_1} - E_{S_0}$
(vertical transition)

TD-DFT

E_g^{FUND}

IP – EA
IP: $E_+ - E_0$
EA: $E_- - E_0$

DFT



Gaussian

B3LYP
6-31G(d)
D3 correction





Total CPU time: ~2.000.000 h

Conjugation length

Nature of blocks

Side chains

Double chains







Conjugation length

Nature of blocks

Side chains

Double chains


**Core 1****Core 2****Core 3**

Conjugation length

Nature of blocks

Side chains


Double chains




methyl

butyl


2-ethylhexyl




Optical gap





Optical gap








Optical gap






Conformations for 1u:




Conclusion



Conjugation length: same trend of E_g^{HL} and E_g^{OPT}



Nature of blocks: mixing blocks tunes properties




Side chains: negligible effect in isolated chain



It is important to consider other interactions!

Perspectives

Noncovalent interactions analysis using Multiwfn/VMD




Trends of exciton binding energy





HPC resources from:



Pyrene cluster



Jean-Zay supercomputer
IDRIS
Institute for Development and Resources
in Intensive Scientific Computing



Mésocentre de Calcul Intensif Aquitain

Curta cluster



gm.aibara-paschoal@univ-pau.fr